

	Type	Hits	Search Text
1	BRS	98	("5205896" "6164347" "5590811" "4483066" "4583667" "4839976" "4927052" "4967496" "5450938" "5642837" "5676262" "5779852" "6019249" "6223411" "6223411" "5992678" "3554370" "4480768" "4489890" "4544083" "4793487" "4872623" "4930953" "4998661" "5324272" "5380296" "5501383" "5553707" "5598877" "5613660" "5617982" "5671872"
2	BRS	16	dispenser and shuttle and outlet and holder
3	BRS	20	dispenser and shuttle and outlet and holder
4	BRS	2	dispenser and shuttle and outlet and holder and disc and block\$
5	BRS	76	(yuyama).in. and (pill or tablet)
6	BRS	9	(yuyama).in. and (pill or tablet) and (221/\$).ccls.
7	BRS	1	tablet and dispense and shutter and (michael near5 butler)
8	BRS	5102	solder and dispens\$
9	BRS	4	solder and dispens\$ and outlet and shuttle
10	BRS	0	(yuyama).in. and (pill or tablet) and clutch
11	BRS	0	(yuyama).in. and (pill or tablet) and (221/\$).ccls. and clutch
12	BRS	0	(yuyama).in. and (pill or tablet) and clutch
13	BRS	91	dispenser and (rotor) and clutch
14	BRS	505	clutch and (pill or tablet or capsule)
15	BRS	74	clutch and (pill or tablet or capsule) and dispens\$

	DBs	Time Stamp	Comments	Error Definition
1	USPAT; USOCR	2002/01/27 19:29		
2	USPAT; USOCR	2002/01/26 19:03		
3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/27 19:29		
4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/26 19:04		Truncation Overflow. Return string from Server is: 5`90293`6
5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/28 11:09		
6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/27 23:49		
7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/27 19:32		
8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/27 21:30		
9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/28 02:26		
10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/27 23:49		
11	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/27 23:50		
12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/27 23:50		
13	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/27 23:51		
14	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/27 23:52		
15	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/28 00:40		

	Errors
1	0
2	0
3	0
4	1
5	0
6	0
7	0
8	0
9	0
10	0
11	0
12	0
13	0
14	0
15	0

	Type	Hits	Search Text
16	BRS	13	(clutch\$ near5 (resistance or friction or block\$ or stop\$))and (pill or tablet or capsule) and dispens\$
17	BRS	1177	dispens\$ and (pill\$ or tablet\$ or capsule\$) and (air near5 pressure)
18	BRS	65	dispens\$ and (pill\$ or tablet\$ or capsule\$) and (air near5 pressure) and (air near5 (block or stop or obstruct))
19	BRS	3	(clutch\$ near5 (resistance or friction))and (pill or tablet or capsule) and dispens\$
20	BRS	12	(clutch\$)and (pill or tablet or capsule) and dispens\$ and (rotor or turntable)
21	BRS	32	(clutch\$)and (pill or tablet or capsule) and dispens\$ and (rotor or turntable or disc)
22	BRS	84	solder and dispens\$ and outlet and (rotor or turntable or disc)
23	BRS	26	solder and dispens\$ and outlet and (rotor or turntable or disc) and (air near5 pressure)
24	BRS	15	(yamaoka).in. and (pill or tablet)
25	BRS	1	(221/265).ccls. and (clutch near5 (friction\$ or jam\$ or resistance))
26	BRS	0	(34/10).ccls. and solder and air
27	BRS	0	(34/10).ccls.
28	BRS	19	"5279045"
29	BRS	1	"4226830".PN.
30	BRS	1	"4188185".PN.
31	BRS	1	"4167819".PN.
32	BRS	1	"4157245".PN.
33	BRS	56	dispens\$ and (solder) and (pneumatic\$ near5 (valve\$ or shutter\$ or block\$))
34	BRS	123	dispens\$ and (pill\$ or tablet\$ or capsule\$) and (pneumatic\$ near5 (valve\$ or shutter\$ or block\$))
35	BRS	30	(dispens\$ near10 (solder)) and (pneumatic\$ near5 (valve\$ or shutter\$ or block\$))
36	BRS	15	((dispens\$ near10 (solder)) and (pneumatic\$ near5 (valve\$ or shutter\$ or block\$))) and (rotor or turntable or plate)
37	BRS	8	((dispens\$ near10 (pill\$ or tablet\$ or capsule\$)) and (pneumatic\$ near5 (valve\$ or shutter\$ or block\$))) and (rotor or turntable or plate)
38	BRS	0	((dispens\$ near10 (solder)) and (pneumatic\$ near5 (valve\$ or shutter\$ or block\$))) and (rotor or turntable)

	DBs	Time Stamp	Comments	Error Definition
16	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/28 01:50		Truncation Overflow. Return string from Server is: 5`0`0`CLU
17	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/28 01:03		Truncation Overflow. Return string from Server is: 5`0`0`DIS
18	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/28 16:40		Truncation Overflow. Return string from Server is: 5`0`0`DIS
19	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/28 01:59		
20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/28 12:46		
21	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/28 02:02		
22	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/28 13:24		
23	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/28 02:27		
24	EPO; JPO; DERWENT; USOCR	2002/01/28 11:10		
25	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/28 13:22		Truncation Overflow. Return string from Server is: 5`303`303
26	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/28 13:23		
27	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/28 13:23		
28	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/28 13:25		
29	USPAT	2002/01/28 13:29		
30	USPAT	2002/01/28 13:29		
31	USPAT	2002/01/28 13:30		
32	USPAT	2002/01/28 13:30		
33	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/09/09 02:54		Truncation Overflow. Return string from Server is: 5`0`0`DIS
34	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/28 17:07		Truncation Overflow. Return string from Server is: 5`0`0`DIS
35	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/30 23:32		Truncation Overflow. Return string from Server is: 5`0`0`DIS
36	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/30 23:43		
37	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/28 17:23		
38	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/28 17:34		

	Errors
16	1
17	1
18	1
19	0
20	0
21	0
22	0
23	0
24	0
25	1
26	0
27	0
28	0
29	0
30	0
31	0
32	0
33	1
34	1
35	1
36	0
37	0
38	0

	Type	Hits	Search Text
39	BRS	18	(dispens\$ near10 (pill\$ or tablet\$ or capsule\$)) and (pneumatic\$ near5 (valve\$ or shutter\$ or block\$))
40	BRS	5	((dispens\$ near10 (solder)) and (pneumatic\$ near5 (valve\$ or shutter\$ or block\$))) and (rotor or turntable or plate) and (solder near5 ball)
41	BRS	2	6227437.pn.
42	BRS	1	"5653381".PN.
43	BRS	10	(solder near5 ball) and (air or pneumatic) and (dispens or feed) and ((valve or block) near5 (air or pneumatic))
44	BRS	1	"6056190".PN.
45	BRS	77	(228/41 or 228/245).ccls. and "solder ball"
46	BRS	2	(228/41 or 228/245).ccls. and "solder ball" and ((fluid or pneumatic or air) near5 (block or stop))
47	BRS	0	(228/180.22).ccls. and "solder ball" and ((fluid or pneumatic or air) near5 (block or stop))
48	BRS	231	(228/180.22).ccls. and "solder ball"
49	BRS	19	(228/180.22).ccls. and "solder ball" and ((fluid or pneumatic or air) and (block or stop))
50	BRS	3469	(dispens\$4 and (rotat\$4 or disc or wheel or rotor or plate)) and ((fluid or pneumatic or air) near5 (block or stop))
51	BRS	32244	(dispens\$4 and (rotat\$4 or disc or wheel or rotor or plate)) and ((fluid or pneumatic or air) and (block or stop))
52	BRS	488	(dispens\$4 and (rotat\$4 or disc or wheel or rotor or plate)) and ((fluid or pneumatic or air) near5 (block or stop)) and ((aperture or outlet) near5 (block\$4 or stop\$3))
53	BRS	8	((dispens\$4 and (rotat\$4 or disc or wheel or rotor or plate)) and ((fluid or pneumatic or air) near5 (block or stop)) and ((aperture or outlet) near5 (block\$4 or stop\$3))) and (221/\$ or 700/\$).ccls.
54	BRS	8	(dispens\$4 and (rotat\$4 or disc or wheel or rotor or plate)) and ((fluid or pneumatic or air) near5 (block or stop)) and ((aperture or outlet) near5 (block\$4 or stop\$3)) and (221/\$ or 700/\$).ccls.
55	BRS	96	(dispens\$4 and (rotat\$4 or disc or wheel or rotor or plate)) and ((fluid or pneumatic or air) near5 (block or stop)) and (221/\$ or 700/\$).ccls.
56	BRS	129	(dispens\$4 and (rotat\$4 or disc or wheel or rotor or plate)) and ((fluid\$4 or pneumatic or air or hydraulic) near5 (block or stop or gate)) and (221/\$ or 700/\$).ccls.
57	BRS	447	(dispens\$4 and (rotat\$4 or disc or wheel or rotor or plate)) and ((fluid or pneumatic or air) near5 (block or stop)) and ((aperture or outlet) near5 (block\$4 or stop\$3))
58	BRS	275	(dispens\$4 and (disc or wheel or rotor or (plate near5 rotate))) and ((fluid or pneumatic or air or hydraulic) near5 (block\$4 or stop\$4)) and ((aperture or outlet) near5 (block\$4 or stop\$3))
59	BRS	7	(dispens\$4 and (disc or wheel or rotor or (plate near5 rotate))) and ((fluid or pneumatic or air or hydraulic) near5 (block\$4 or stop\$4)) and ((aperture or outlet) near5 (block\$4 or stop\$3)) and (221/\$).ccls.
60	BRS	13	(dispens\$4 and (fluid or pneumatic or air or hydraulic) near5 (block\$4 or stop\$4)) and ((aperture or outlet) near5 (block\$4 or stop\$3)) and (221/\$).ccls.

	DBs	Time Stamp	Comments	Error Definition
39	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/30 22:25		Truncation Overflow. Return string from Server is: 5'0'0`DIS Truncation Overflow. Return string from Server is: 5'0'0`DIS
40	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/30 22:24		Truncation Overflow. Return string from Server is: 5'0'0`DIS
41	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/31 00:42		
42	USPAT	2002/01/30 23:46		
43	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/01/30 23:47		
44	USPAT	2002/01/31 00:25		
45	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/08/28 01:10		
46	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/08/28 01:14		
47	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/08/28 01:57		
48	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/08/28 01:15		
49	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/08/28 01:20		
50	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/08/28 02:01		
51	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/08/28 02:00		
52	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/08/28 02:09		
53	USPAT; EPO; JPO; DERWENT	2002/08/28 02:04		
54	USPAT; EPO; JPO; DERWENT	2002/09/05 02:30		
55	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/05 01:49		
56	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/05 01:55		
57	USPAT; EPO; JPO; DERWENT	2002/09/05 02:35		
58	USPAT; EPO; JPO; DERWENT	2002/12/03 16:20		
59	USPAT; EPO; JPO; DERWENT	2002/09/05 03:19		
60	USPAT; EPO; JPO; DERWENT	2002/09/07 22:22		

	Errors
39	2
40	1
41	0
42	0
43	0
44	0
45	0
46	0
47	0
48	0
49	0
50	0
51	0
52	0
53	0
54	0
55	0
56	0
57	0
58	0
59	0
60	0

	Type	Hits	Search Text
61	BRS	9	(dispens\$4 and (disc or wheel or rotor or (plate near5 rotate))) and ((fluid or pneumatic or air or hydraulic or vacuum) near5 (block\$4 or stop\$4)) and ((aperture or outlet) near5 (block\$4 or stop\$3)) and (221/\$).ccls.
62	BRS	15	(dispens\$4 and (fluid or pneumatic or air or hydraulic or vacuum) near5 (block\$4 or stop\$4)) and ((aperture or outlet) near5 (block\$4 or stop\$3)) and (221/\$).ccls.
63	BRS	88	(dispens\$4 and (fluid or pneumatic or air or hydraulic or vacuum) near5 (block\$4 or stop\$4)) and (221/\$).ccls.
64	BRS	15	(dispens\$4 and (fluid or pneumatic or air or hydraulic or vacuum) near5 (block\$4 or stop\$4)) and ((aperture or outlet) near5 (block\$4 or stop\$3)) and (221/\$).ccls.
65	BRS	109	(dispens\$4 and (fluid or pneumatic or air or hydraulic or vacuum) near5 (block\$4 or stop\$4)) and (221/\$).ccls.
66	BRS	33	speedline and solder and dispenser
67	BRS	2	("6427903").pn.
68	BRS	81	(dispens\$4 and (fluid or pneumatic or air or hydraulic or vacuum) near5 (block\$4 or stop\$4)) and (406/\$).ccls.
69	BRS	145	(solder near5 ball) and (air or pneumatic) and (dispens or feed)
70	BRS	7	(dispens\$4 and (disc or wheel or rotor or (plate near5 rotate))) and ((fluid or pneumatic or air or hydraulic or vacuum) near5 (block\$4 or stop\$4)) and ((aperture or outlet) near5 (block\$4 or stop\$3)) and (221/\$).ccls.
71	BRS	40	(dispense\$4 near5 (screws or fasteners or bolts)) and ((pneumatic or air or hydraulic or vacuum) near5 (feed or block or stop)) and (rotor or plate or wheel)
72	BRS	76	(dispense\$4 near5 (screw or fastener or bolt)) and ((pneumatic or air or hydraulic or vacuum)) and ((rotor or plate or wheel) near5 (screws or fasteners or bolts))
73	BRS	13	(dispense\$4 near5 (screw or fastener or bolt)) and ((pneumatic or air or hydraulic or vacuum)) and ((rotor or plate or wheel) near5 (screws or fasteners or bolts)) and clutch
74	BRS	0	("4653665").pn. and clutch
75	BRS	0	("5582492").pn. and clutch
76	BRS	2	("5582492").pn.
77	BRS	0	("5582493").pn. and clutch
78	BRS	2	("5582493").pn.
79	BRS	1	"5075961".PN.
80	BRS	1	"4801044".PN.
81	BRS	1	"4759124".PN.
82	BRS	1	"4459743".PN.
83	BRS	1	"4214844".PN.
84	BRS	1	"4033031".PN.
85	BRS	1	"3993359".PN.
86	BRS	1	"4033031".PN.
87	BRS	1	"5075961".PN.
88	BRS	1	"4801044".PN.
89	BRS	0	(dispense\$4 near5 (coponent)) and ((pneumatic or air or hydraulic or vacuum)) and ((rotor or plate or wheel) near5 (component)) and clutch

	DBs	Time Stamp	Comments	Error Definition
61	USPAT; EPO; JPO; DERWENT	2002/09/05 03:21		
62	USPAT; EPO; JPO; DERWENT	2002/09/08 15:33		
63	USPAT; EPO; JPO; DERWENT	2002/09/08 15:34		
64	USPAT; EPO; JPO; DERWENT	2002/09/08 15:41		
65	USPAT; EPO; JPO; DERWENT	2002/09/09 01:01		
66	USPAT; EPO; JPO; DERWENT	2002/09/08 18:15		
67	USPAT; EPO; JPO; DERWENT	2002/09/09 01:00		
68	USPAT; EPO; JPO; DERWENT	2002/12/03 16:19		
69	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/12/03 16:19		
70	USPAT; EPO; JPO; DERWENT	2002/09/09 02:53		
71	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/09/09 14:02		
72	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/12/03 16:19		
73	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/12/03 16:19		
74	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/09/09 18:42		
75	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/09/09 18:43		
76	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/09/09 18:43		
77	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/09/09 18:43		
78	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/09/09 18:43		
79	USPAT	2002/09/09 18:44		
80	USPAT	2002/09/09 18:44		
81	USPAT	2002/09/09 18:44		
82	USPAT	2002/09/09 18:45		
83	USPAT	2002/09/09 18:45		
84	USPAT	2002/09/09 18:45		
85	USPAT	2002/09/09 18:46		
86	USPAT	2002/09/09 18:46		
87	USPAT	2002/09/09 18:46		
88	USPAT	2002/09/09 18:47		
89	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/09/09 18:58		

	Errors
61	0
62	0
63	0
64	0
65	0
66	0
67	0
68	0
69	0
70	0
71	0
72	0
73	0
74	0
75	0
76	0
77	0
78	0
79	0
80	0
81	0
82	0
83	0
84	0
85	0
86	0
87	0
88	0
89	0

	Type	Hits	Search Text
90	BRS	1	(dispense\$4 near5 (component)) and ((pneumatic or air or hydraulic or vacuum)) and ((rotor or plate or wheel) near5 (component)) and (clutch near5 (rotor or plate or wheel))
91	BRS	2	(dispense\$4 near5 (component)) and ((pneumatic or air or hydraulic or vacuum)) and ((rotor or plate or wheel) near5 (component)) and (clutch)
92	BRS	5	(dispense\$4 near5 (component)) and ((rotor or plate or wheel) near5 (component)) and (clutch)
93	BRS	129	((feed or place) near5 (component)) and ((rotor or plate or wheel) near5 (component)) and (clutch)
94	BRS	89	((feed or place) near5 (component)) and ((pneumatic or air or hydraulic or vacuum)) and ((rotor or plate or wheel) near5 (component)) and (clutch)
95	BRS	25	((feed or place) near5 (component)) and ((rotor or plate or wheel) near5 (component)) and (clutch near5 slip)
96	BRS	25	((feed or place) near5 (component)) and ((rotor or plate or wheel) near5 (component)) and (clutch near5 slip)
97	BRS	89	((feed or place) near5 (component)) and ((pneumatic or air or hydraulic or vacuum)) and ((rotor or plate or wheel) near5 (component)) and (clutch)
98	BRS	129	((feed or place) near5 (component)) and ((rotor or plate or wheel) near5 (component)) and (clutch)
99	BRS	5	(dispense\$4 near5 (component)) and ((rotor or plate or wheel) near5 (component)) and (clutch)
100	BRS	81	(dispens\$4 and (fluid or pneumatic or air or hydraulic or vacuum) near5 (block\$4 or stop\$4)) and (406/\$).ccls.
101	BRS	278	(dispens\$4 and (disc or wheel or rotor or (plate near5 rotate))) and ((fluid or pneumatic or air or hydraulic) near5 (block\$4 or stop\$4)) and ((aperture or outlet) near5 (block\$4 or stop\$3))
102	BRS	13	(dispense\$4 near5 (screw or fastener or bolt)) and ((pneumatic or air or hydraulic or vacuum)) and ((rotor or plate or wheel) near5 (screws or fasteners or bolts)) and clutch
103	BRS	77	(dispense\$4 near5 (screw or fastener or bolt)) and ((pneumatic or air or hydraulic or vacuum)) and ((rotor or plate or wheel) near5 (screws or fasteners or bolts))
104	BRS	151	(solder near5 ball) and (air or pneumatic) and (dispens or feed)

	DBs	Time Stamp	Comments	Error Definition
90	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/09/09 19:00		
91	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/09/09 19:06		
92	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/12/03 16:18		
93	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/12/03 16:18		
94	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/12/03 16:18		
95	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/12/03 16:18		
96	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/12/03 16:19		
97	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/12/03 16:20		
98	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/12/03 16:20		
99	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/12/03 16:21		
100	USPAT; EPO; JPO; DERWENT	2002/12/03 16:22		
101	USPAT; EPO; JPO; DERWENT	2002/12/03 16:24		
102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/12/03 16:24		
103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/12/03 16:24		
104	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2002/12/03 16:34		

	Errors
90	0
91	0
92	0
93	0
94	0
95	0
96	0
97	0
98	0
99	0
100	0
101	0
102	0
103	0
104	0